



MATERIAL SAFETY DATA SHEET

Section 1. Product and Company Identification

Manufacturer: Seacoat Technology, LLC
31902 Industrial park Dr
Pinehurst, Texas, USA. 77362
Tel: 832-237-4400
Fax: 832-237-4414

Material Name: SEA-SPEED V10 – CLR (PART B) Base resin
MSDS NO. 042017ASSV10CLR-B
CAS No. N/A – Mixture

Section 2. Hazards Identification

Emergency overview

Form Liquid
Color slightly yellow
Odor N/A
Water solubility Insoluble

Symbol(s)

May cause eye tissue damage
Harmful or fatal if Swallowed

Potential Health affects

Eye Contact: No Harmful effects known

Skin Contact: No harmful effects

Inhalation: If swallowed, seek medical attention and show MSDS.

Ingestion: No Harmful effects

Immediate Concerns: None

Section 3. Composition information

OSHA HAZARDOUS ingredients

| | | | |
|------------|---------|---------|---------|
| 1- Butanol | CAS No. | 71-36-3 | < 0.015 |
| Methanol | CAS No. | 67-56-1 | < 0.161 |

Section 4. First aid measures

Skin Contact: wash with soap and water for at least 10 minutes. Remove contaminated clothing and wash thoroughly before re-use.

Inhalation: Remove affected person out into fresh air.

Material Name: SEA-SPEED V10 – CLR (PART B) Base resin
MSDS NO. 042017ASSV10CLR-B
CAS No. N/A

Eye Contact: Rinse eyes thoroughly with fresh water for ten minutes. Use eye rinse solution. If irritation persists seek medical attention.

Ingestion: Rinse mouth thoroughly with water. Do not induce Vomiting. Seek medical attention.

Notes to Physician:
Treat symptomatically

Section 5. Fire fighting measures

| | | | |
|---|---|-----------|-------|
| Flash point | > 118 ° C | > 245 ° F | (TCC) |
| Auto ignition temperature | Not determined | | |
| Lower Explosive limit % | Not determined | | |
| Upper Explosive Limit % | Not determined | | |
| Suitable extinguishing media | Foam, CO2, dry powder. Do not use water spray. | | |
| Specific hazards during firefighting | Carbon monoxide, Carbon dioxide, silicon dioxide from fire and fumes | | |
| Special protective equipment For fire fighters | As in any fire, self contained positive pressure breathing apparatus, (MSHA,NIOSH) or approved equivalent and full protective gear. | | |

Section 6. Accidental release measures

| | |
|---------------------------------|--|
| Personal: | Ensure proper ventilation. Avoid contact with skin and eyes. |
| Environmental: | Follow local, state, federal and or provincial laws and regulations. Do not contaminate groundwater, soil streams, ponds or lakes. |
| Methods for cleanup: | Use absorbent materials such as universal binder, saw dust, sand or other appropriate material. Place in marked container and sealed container for disposal in accordance with existing regulations. |
| Section 7. Handling and storage | Use in well ventilated areas. Avoid direct skin and eye contact. Avoid breathing fumes or mist. Wash hands with soap and water after handling. |
| Storage | store between 40 – 120 F |

Section 8. Exposure controls/ personal protection

| | |
|------------------------|---|
| Engineering controls | Provide good ventilation in confined areas. |
| Eye & face protection | Wear safety glasses with side shields. |
| Hand protection | Butyl rubber. Wear protective gear as needed. |
| Respiratory protection | Wear a NIOSH/MSHA approved respirator during application whenever workplace conditions warrant respirator use. |
| Hygiene measures | Avoid contact with skin, eyes and or clothing. Do not inhale vapors or mist. Do not eat, drink or smoke while using this product. Remove contaminated clothing and thoroughly wash before re-use. |

Material Name: SEA-SPEED V10 – CLR (PART B) Base resin
MSDS NO. 042017ASSV10CLR-B
CAS No. N/A – Mixture

Section 9. Physical and chemical properties

| | |
|----------------------------|------------------------------|
| Appearance | |
| Form | Liquid |
| Color | colorless to slightly yellow |
| Odor | Pungent |
| PH | Not Applicable |
| Flash point | > 118° C >245° F |
| Melting point | Not determined |
| Boiling point | Not determined |
| Vapour pressure | Not measured |
| Flammability limits in air | Not determined |
| Auto ignition Temperature | Not determined |
| Vapor density | >1 Air =1 |
| VOC | Percent water 0.001% |

Section 10. Stability and reactivity

| | |
|----------------------------------|-------------------------------------|
| Conditions / materials to avoid: | Unknown |
| Hazardous decomposition products | None with proper storage & handling |
| Hazard reactions | No dangerous reactions known |
| Hazardous polymerization | No |

Section 11. Toxicological Information

| | |
|--------------------------|--|
| Sensitization | Possibility of skin sensitization may occur under prolonged exposure |
| Carcinogenicity | None |
| Gentoxicity | Not mutagenic |
| Toxicity to reproduction | No evidence of effects of reproductive/developmental toxicity. |

Section 12. Ecological Information

Do not allow to enter soil, waste water / sewer or any waterways. An environmental hazard may be considered due to unprofessional handling and or disposal. US regulations require reporting spills of this material that could reach any surface waters

In case of spill notify SCS, LLC

| | |
|-----------------|---------------------|
| Bioaccumulation | Not bioaccumulative |
|-----------------|---------------------|

Section 13. Waste disposal

| | |
|--------------------|---|
| Disposal method | Do not allow this material into sewers and water supplies. Waste must be disposed of in accordance with Federal, state and local regulations. |
| Advice on disposal | Mix all residual part A with Part B and allow it to cure fully in an open container. Cured product may be disposed of as a non hazardous solid waste. |

Material Name: SEA-SPEED V10 – CLR (PART B) Base resin
 MSDS NO. 042017ASSV10CLR-B
 CAS No. N/A – Mixture

Section 14. Transport information

| | | |
|------------------------------------|-----------|---------------|
| DOT (Department of Transportation) | CFR Road: | Not regulated |
| | CFR Rail | Not regulated |
| SEA Transport (IMDG) | | Not Regulated |
| AIR Transport (ICAO/IATA) | | Not Regulated |
| Canada | TDG Road | Not regulated |
| | TDG Rail | Not regulated |

Section 15. Regulatory Information

| | | |
|------------------------------|----------------|---------|
| Cercla Reportable quantities | CAS 71-36-3 | 500 Lb. |
| | CAS 67-56-1 | |
| SARA TITLE III (311/312) | Fire: No | |
| | Pressure: No | |
| | Reactivity: No | |
| | Acute: No | |
| | Chronic: No | |

| | |
|----------------------|----------------------------|
| SARA TITLE III (313) | Notification: Yes |
| | 1- Butanol CAS No. 71-36-3 |
| | Methanol CAS No. 67-56-1 |

TSCA Yes, all intentional ingredients are listed in the TSCA Inventory or comply with TSCA Polymer exemption criteria per 40 CFR 723.

| | | |
|------------|------------------|-------------------|
| State Reg: | MASS. RTK | Notification: Yes |
| | Rhode Island RTK | Notification: Yes |
| | New Jersey RTK | Notification: Yes |
| | Pennsylvania RTK | Notification: Yes |

California Proposition 65 Notification: This product does not contain any substance(s) which are defined by the state of California to cause Cancer, birth defects, or other reproductive effects.

| | |
|--------|---|
| Canada | WHMIS Classification: Non WHMIS |
| | This product contains Components that are listed on the WHMIS ingredient disclosure list. |
| | 1- Butanol CAS No. 71-36-3 |
| | Methanol CAS No. 67-56-1 |

| | |
|----------------------|---------------------------------------|
| Notification Status: | Canadian Environmental Protection Act |
| | DSL |
| | Notification: Yes |

| | | |
|----------------------------------|-----------------|---|
| International Chemical Inventory | USA (TSCA) | Y |
| | Canada (DSL) | Y |
| | Australia(AICS) | Y |
| | Europe (EINECS) | Y |
| | Japan (MITI) | Y |
| | Korea (TCCL) | Y |
| | China | Y |

Material Name: SEA-SPEED V10 – CLR (PART B) Base resin
MSDS NO. 042017ASSV10CLR-B
CAS No. N/A - Mixture

Section 16. Other Information

HMIS Codes: Fire: 1
Health: 1
Physical Hazard: 0
Protection: X

Manufacturer disclaimer: This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Seacoat Technology, LLC assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. SEACOAT TECHNOLOGY, LLC EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF SEACOAT TECHNOLOGY, LLC IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Seacoat Technology, LLC reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.