

Section 1. Product and Company Identification

Manufacturer	:	Seacoat SCT, LLC 31902 Industrial Park Dr., Pinehurst, Texas, USA. 77362 USA Tel: 832-237-4400; Fax: 832-237-4414
Material Name	:	Armor-Sil® R/G (Part B) Base Resin
MSDS No.	:	092016ASRGB
CAS No.	:	N/A – Mixture

Section 2. Hazards Identification

Emergency overview		
Form	:	Liquid
Color	:	Slightly yellow
Odor	:	N/A
Water Solubility	:	Insoluble
Symbols	:	"N/A NON – HAZARDOUS"
Statements	:	May cause eye tissue damage Harmful or fatal if Swallowed
Potential Health affects		
	-	No homeful offecto known
Eye Contact	-	No harmful effects known
Skin Contact	:	No harmful effects
Inhalation	:	If swallowed, seek medical attention and show MSDS
Ingestion	:	No harmful effects
Immediate Concerns	:	None

Section 3. Composition Information

OSHA HAZARDOUS ingredients

1- Butanol	:	CAS No. 71-36-3	< 0.015
Methanol	:	CAS No. 67-56-1	< 0.161

Section 4. First Aid Measures

Skin Contact	:	Wash with soap and water for at least 10 minutes. Remove contaminated clothing and wash thoroughly before re-use.
Inhalation	:	Remove affected person out into fresh air.
Eye Contact	:	Rinse eyes thoroughly with fresh water for ten minutes. Use eye rinse solution. If irritation persists, contact an ophthalmologist.
Ingestion	:	Rinse mouth thoroughly with water. Do not induce Vomiting. Give plenty of fluids (water). If discomfort persists, contact a physician.
Notes to Physician	:	Treat symptomatically



Section 5. Fire Fighting Measures

Flash point	> 118 °C (TCC)	
Auto ignition temperature	Not determined	
Lower Explosive limit %	Not determined	
Upper Explosive Limit %	Not determined	
Suitable extinguishing media	Foam, CO2, dry powder. Do not use water spray.	
Specific hazards during firefighting	Carbon monoxide, Carbon dioxide, silicon dioxide from fire and fur	mes.
Special protective equipment For fire fighters	As in any fire, self contained positive pressure breathing apparatus (MSHA,NIOSH) or approved equivalent and full protective gear.	S,

Section 6. Accidental Release Measures

Personal	:	Ensure proper ventilation. Avoid contact with skin and eyes.
Environmental	:	Follow local, state, federal and or provincial laws and regulations. Do not contaminate groundwater, soil streams, ponds or lakes.
Methods for cleanup	:	Use absorbent materials such as universal binder, saw dust, sand or other appropriate material. Place in marked container and sealed container for disposal in accordance with existing regulations.

Section 7. Handling and Storage

Handling	:	Use in well ventilated areas. Avoid direct skin and eye contact. Avoid breathing fumes or mist. Wash hands with soap and water after handling.
Storage	:	store between 5°C – 38°C (40°F – 100°F)

Section 8. Exposure Controls / Personal Protection

Engineering controls	: Provide good ventilation in confined areas.
Eye & face protection	: Wear safety glasses with side shields.
Hand protection	: Butyl rubber. Wear protective gear as needed.
Respiratory protection	: Wear a NIOSH/MSHA approved respirator during application whenever workplace conditions warrant respirator use.
Hygiene measures	: Avoid contact with skin, eyes and or clothing. Do not inhale vapors or mist. Do not eat, drink or smoke while using this product. Remove contaminated clothing and thoroughly wash before re-use



Section 9. Physical and Chemical Properties

<u>Appearance</u>		
Form	:	Liquid
Color	:	Colorless to slightly yellow
Odor	:	Pungent
Safety Data		
PH	:	Not Applicable
Flash point	:	> 118°C
Melting point	:	Not determined
Boiling Point	:	Not determined
Vapour pressure	:	Not measured
Flammability limits in air	:	Not determined
Auto ignition Temperature	:	Not determined
Vapor density	:	>1 Air =1
VOC	:	Percent water 0.001%

Section 10. Stability and Reactivity

Conditions / materials to avoid	:	Unknown
Hazardous decomposition products	:	None with proper storage & handling
Hazard reactions	:	No dangerous reactions known
Hazardous polymerization	:	No

Section 11. Toxicological Information

Sensitization	:	Possibility of skin sensitization may occur under prolonged exposure.
Carcinogenicity	:	None.
Genotoxicity	:	Not mutagenic.
Toxicity to reproduction	:	No evidence of effects of reproductive/developmental toxicity.

Section 12. Ecological Information

Do not allow to enter soil, wastewater / sewer or any waterways. An environmental hazard may be considered due to unprofessional handling and or disposal. US regulations require reporting spills of this material that could reach any surface waters.

In case of spill notify Seacoat SCT, LLC or SEA-SPEED-PC, LLC

Bioaccumulation

: Not bioaccumulative



Section 13. Waste Disposal

Disposal method	:	Do not allow this material into sewers and water supplies. Waste must be disposed of in accordance with Federal, state and local regulations.
Advice on disposal	:	Mix all residual part A with Part B and allow it to cure fully in an open container. Cured product may be disposed of as a non hazardous solid waste.

Section 14. Transport Information

Department of Transportation (DOT)			
CFR Road	:	Not regulated	
CFR Rail	:	Not regulated	
<u>Air Transport (ICAO-TI /</u> IATA –DGR)	:	Not regulated	
Canada			
		Not regulated	
TDG Rail	:	Not regulated	
SEA TRANSPORT (IMDG)	:	Not regulated	

Section 15. Regulatory Information

CERCLA reportable quantities	: CAS No.71-36-3 500 Lb.
SARA TITLE III (311/312)	: No : No
	 Notification: Yes CAS No.71-36-3 CAS No.67-56-1
TSCA	: Yes, all intentional ingredients are listed in the TSCA Inventory or comply withTSCA Polymer exemption criteria per 40 CFR 723.
Rhode Island RTK	 Notification: Yes Notification: Yes Notification: Yes Notification: Yes This product does not contain any substance(s) which are defined by the state of California to cause Cancer, birth defects, or other reproductive effects.
	: This product contains Components that are listed on the WHMIS ingredient disclosure list.
Notification Status	 Canadian Environmental Protection Act DSL Notification: Yes



Section 15. Regulatory Information

International Chemical Inventory

USA (TSCA)	:	Yes
Canada (DSL)	:	Yes
Australia (AICS)	:	Yes
New Zealand (NZIoC)	:	Yes
Europe (EINECS)	:	Yes
Japan (MITI)	:	Yes
Korea (TCCL)	:	Yes
China	:	Yes

Section 16. Other Information

Key to abbreviations	
CERCLA	: Comprehensive Environmental Response, Compensation, and Liability Act
HMIS	: Hazardous Materials Identification System
IATA-DGR	: The International Air Transport Association - Dangerous Goods Regulations
ICAO-TI	: International Civil Aviation Organisation – Technical Instructions
IMDG	: The International Maritime Dangerous Goods
MSDS	: Material Safety Data Sheet
MSHA	: Mine Safety and Health Administration
NIOSH	: National Institute for Occupational Safety and Health
тсс	: Tag Closed Cup
TSCA	: Toxic Substances Control Act
VOC	: Volatile Organic Compound
WHMIS	: Workplace Hazardous Materials Information System
HMIS Codes	
Fire	: 1
Health	: 1
Physical Hazard	: 0
Protection	: X



Manufacturer disclaimer

This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Seacoat SCT, LLC assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. SEACOAT SCT,LLC AND SEA-SPEED-PC, LLC EXPRESSLY DISCLAIM ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF SEACOAT SCT,LLC OR SEA-SPEED-PC, LLC ARE AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product and does not imply that similar products could not be used. Seacoat SCT, LLC reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.

~~ We have your bottom covered ~~